

# CDL 型立式多级管道泵

## 性能参数

型号	电压 (V)	流量 (m³/h)	扬程 (M)	功率 (kW)	转速 (r/min)
25CDL(F)2-2	380	2	15	0.37	2900
25CDL(F)2-3	380	2	22	0.37	2900
25CDL(F)2-4	380	2	30	0.55	2900
25CDL(F)2-5	380	2	37	0.55	2900
25CDL(F)2-6	380	2	45	0.75	2900
25CDL(F)2-7	380	2	52	0.75	2900
25CDL(F)2-9	380	2	67	1.1	2900
25CDL(F)2-11	380	2	82	1.1	2900
25CDL(F)2-13	380	2	98	1.5	2900
25CDL(F)2-15	380	2	112	1.5	2900
25CDL(F)2-16	380	2		2.2	2900
25CDL(F)2-17	380	2		2.2	2900
25CDL(F)2-18	380	2	136	2.2	2900
25CDL(F)2-19	380	2		2.2	2900
25CDL(F)2-20	380	2		2.2	2900
25CDL(F)2-22	380	2	165	2.2	2900
25CDL(F)2-23	380	2		3.0	2900
25CDL(F)2-24	380	2		3.0	2900
25CDL(F)2-26	380	2	198	3.0	2900
32CDL(F)4-2	380	4	15	0.37	2900
32CDL(F)4-3	380	4	24	0.55	2900
32CDL(F)4-4	380	4	32	0.75	2900
32CDL(F)4-5	380	4	40	1.1	2900
32CDL(F)4-6	380	4	48	1.1	2900
32CDL(F)4-7	380	4	56	1.5	2900
32CDL(F)4-8	380	4	64	1.5	2900
32CDL(F)4-10	380	4	81	2.2	2900
32CDL(F)4-12	380	4	95	2.2	2900
32CDL(F)4-13	380	4		3.0	2900
32CDL(F)4-14	380	4	112	3.0	2900
32CDL(F)4-15	380	4		3.0	2900
32CDL(F)4-16	380	4	129	3.0	2900
32CDL(F)4-17	380	4		4.0	2900
32CDL(F)4-18	380	4		4.0	2900

型号	电压 (V)	流量 (m³/h)	扬程 (M)	功率 (kW)	转速 (r/min)
32CDL(F)4-19	380	4	153	4.0	2900
32CDL(F)4-20	380	4		4.0	2900
32CDL(F)4-21	380	4		4.0	2900
32CDL(F)4-22	380	4	178	4.0	2900
40CDL(F)8-2	380	8	18	0.75	2900
40CDL(F)8-3	380	8	27	1.1	2900
40CDL(F)8-4	380	8	36	1.5	2900
40CDL(F)8-5	380	8	45	2.2	2900
40CDL(F)8-6	380	8	54	2.2	2900
40CDL(F)8-7	380	8	73	3.0	2900
40CDL(F)8-8	380	8		3.0	2900
40CDL(F)8-9	380	8		4.0	2900
40CDL(F)8-10	380	8	92	4.0	2900
40CDL(F)8-11	380	8		4.0	2900
40CDL(F)8-12	380	8	111	4.0	2900
40CDL(F)8-13	380	8		5.5	2900
40CDL(F)8-14	380	8	130	5.5	2900
40CDL(F)8-15	380	8		5.5	2900
40CDL(F)8-16	380	8	148	5.5	2900
40CDL(F)8-17	380	8		7.5	2900
40CDL(F)8-18	380	8	167	7.5	2900
40CDL(F)8-19	380	8		7.5	2900
40CDL(F)8-20	380	8	186	7.5	2900
50CDL(F)12-2	380	12	20	1.5	2900
50CDL(F)12-3	380	12	30	2.2	2900
50CDL(F)12-4	380	12	40	3	2900
50CDL(F)12-5	380	12	50	3	2900
50CDL(F)12-6	380	12	60	4	2900
50CDL(F)12-7	380	12	70	5.5	2900
50CDL(F)12-8	380	12	80	5.5	2900
50CDL(F)12-9	380	12	91	5.5	2900
50CDL(F)12-10	380	12	101	7.5	2900
50CDL(F)12-11	380	12		7.5	2900
50CDL(F)12-12	380	12	121	7.5	2900

# CDL 型立式多级管道泵

## 性能参数

型号	电压 (V)	流量 (m³/h)	扬程 (M)	功率 (KW)	转速 (r/min)
50CDL(F)12-13	380	12		11	2900
50CDL(F)12-14	380	12	141	11	2900
50CDL(F)12-15	380	12		11	2900
50CDL(F)12-16	380	12	162	11	2900
50CDL(F)12-17	380	12		11	2900
50CDL(F)12-18	380	12	183	11	2900
50CDL(F)16-2	380	16	22	2.2	2900
50CDL(F)16-3	380	16	34	3.0	2900
50CDL(F)16-4	380	16	46	4.0	2900
50CDL(F)16-5	380	16	58	5.5	2900
50CDL(F)16-6	380	16	70	5.5	2900
50CDL(F)16-7	380	16	82	7.5	2900
50CDL(F)16-8	380	16	94	7.5	2900
50CDL(F)16-9	380	16	118	11.0	2900
50CDL(F)16-10	380	16		11.0	2900
50CDL(F)16-11	380	16		11.0	2900
50CDL(F)16-12	380	16	141	11.0	2900
50CDL(F)16-13	380	16		15.0	2900
50CDL(F)16-14	380	16	166	15.0	2900
50CDL(F)16-15	380	16		15.0	2900
50CDL(F)16-16	380	16	189	15.0	2900
50CDL(F)20-1	380	20	10	1.1	2900
50CDL(F)20-2	380	20	23	2.2	2900
50CDL(F)20-3	380	20	35	4	2900
50CDL(F)20-4	380	20	47	5.5	2900
50CDL(F)20-5	380	20	58	5.5	2900
50CDL(F)20-6	380	20	70	7.5	2900
50CDL(F)20-7	380	20	82	7.5	2900
50CDL(F)20-8	380	20	94	11	2900
50CDL(F)20-10	380	20	118	11	2900
50CDL(F)20-12	380	20	142	15	2900
50CDL(F)20-14	380	20	166	15	2900
50CDL(F)20-17	380	20	202	18.5	2900
65CDL(F)32-10-1	380	32		1.5	2900

型号	电压 (V)	流量 (m³/h)	扬程 (M)	功率 (KW)	转速 (r/min)
65CDL(F)32-10	380	32		2.2	2900
65CDL(F)32-20-2	380	32	20	3.0	2900
65CDL(F)32-20	380	32	27	4.0	2900
65CDL(F)32-30	380	32	40	5.5	2900
65CDL(F)32-40	380	32	53	7.5	2900
65CDL(F)32-50	380	32	67	11.0	2900
65CDL(F)32-60	380	32	81	11.0	2900
65CDL(F)32-70	380	32	95	15.0	2900
65CDL(F)32-80	380	32	109	15.0	2900
65CDL(F)32-90	380	32	124	18.5	2900
65CDL(F)32-100	380	32	138	18.5	2900
65CDL(F)32-110	380	32	153	22	2900
65CDL(F)32-120	380	32	167	22	2900
65CDL(F)32-130	380	32	171	30.0	2900
65CDL(F)32-140	380	32	196	30.0	2900
80CDL(F)42-10-1	380	42	16	3.0	2900
80CDL(F)42-10	380	42	20	4.0	2900
80CDL(F)42-20-2	380	42	32	5.5	2900
80CDL(F)42-20	380	42	41	7.5	2900
80CDL(F)42-30-2	380	42	52	11.0	2900
80CDL(F)42-30	380	42	61	11.0	2900
80CDL(F)42-40-2	380	42	73	15.0	2900
80CDL(F)42-40	380	42	81	15.0	2900
80CDL(F)42-50-2	380	42	93	18.5	2900
80CDL(F)42-50	380	42	101	18.5	2900
80CDL(F)42-60-2	380	42	113	22.0	2900
80CDL(F)42-60	380	42	122	22.0	2900
80CDL(F)42-70-2	380	42	134	30.0	2900
80CDL(F)42-70	380	42	142	30.0	2900
80CDL(F)42-80-2	380	42	154	30.0	2900
80CDL(F)42-80	380	42	162	30.0	2900
80CDL(F)42-90-2	380	42	174	30.0	2900
80CDL(F)42-90	380	42	183	37.0	2900
80CDL(F)42-100-2	380	42	194	37.0	2900

# CDL 型立式多级管道泵

## 性能参数

型号	电压 (V)	流量 (m³/h)	扬程 (M)	功率 (kW)	转速 (r/min)
80CDL(F)42-100	380	42	203	37.0	2900
80CDL(F)42-110-2	380	42	217	45.0	2900
80CDL(F)42-110	380	42	225	45.0	2900
80CDL(F)42-120-2	380	42	238	45.0	2900
80CDL(F)42-120	380	42	247	45.0	2900
80CDL(F)42-130-2	380	42	259	45.0	2900
100CDL(F)65-10-1	380	65	13	4	2900
100CDL(F)65-10	380	65	20	5.5	2900
100CDL(F)65-20-2	380	65	26	7.5	2900
100CDL(F)65-20-1	380	65	33	11	2900
100CDL(F)65-20	380	65	40	11	2900
100CDL(F)65-30-2	380	65	46	15	2900
100CDL(F)65-30-1	380	65	53	15	2900
100CDL(F)65-30	380	65	60	18.5	2900
100CDL(F)65-40-2	380	65	66	18.5	2900
100CDL(F)65-40-1	380	65	73	22	2900
100CDL(F)65-40	380	65	80	22	2900
100CDL(F)65-50-2	380	65	88	30	2900
100CDL(F)65-50-1	380	65	95	30	2900
100CDL(F)65-50	380	65	102	30	2900
100CDL(F)65-60-2	380	65	110	30	2900
100CDL(F)65-60-1	380	65	117	37	2900
100CDL(F)65-60	380	65	124	37	2900
100CDL(F)65-70-2	380	65	132	37	2900
100CDL(F)65-70-1	380	65	139	37	2900
100CDL(F)65-70	380	65	146	45	2900
100CDL(F)65-80-2	380	65	154	45	2900
100CDL(F)65-80-1	380	65	161	45	2900

型号	电压 (V)	流量 (m³/h)	扬程 (M)	功率 (kW)	转速 (r/min)
100CDL(F)85-10-1	380	85	14	5.5	2900
100CDL(F)85-10	380	85	20	7.5	2900
100CDL(F)85-20-2	380	85	30	11	2900
100CDL(F)85-20	380	85	41	15	2900
100CDL(F)85-30-2	380	85	52	18.5	2900
100CDL(F)85-30	380	85	64	22	2900
100CDL(F)85-40-2	380	85	75	30	2900
100CDL(F)85-40	380	85	86	30	2900
100CDL(F)85-50-2	380	85	98	37	2900
100CDL(F)85-50	380	85	110	37	2900
100CDL(F)85-60-2	380	85	122	45	2900
100CDL(F)85-60	380	85	134	45	2900
125CDL(F)120-10	380	120	18.5	11	2900
125CDL(F)120-20-1	380	120	34.5	18.5	2900
125CDL(F)120-20	380	120	40	22	2900
125CDL(F)120-30	380	120	61	30	2900
125CDL(F)120-40-1	380	120	76	37	2900
125CDL(F)120-50-1	380	120	97	45	2900
125CDL(F)120-60-1	380	120	118	55	2900
125CDL(F)120-70	380	120	145	75	2900
150CDL(F)150-10-1	380	150	12.5	11	2900
150CDL(F)150-10	380	150	18.5	15	2900
150CDL(F)150-20-1	380	150	35	22	2900
150CDL(F)150-30-2	380	150	49	30	2900
150CDL(F)150-30	380	150	63	37	2900
150CDL(F)150-40-1	380	150	77	45	2900
150CDL(F)150-50-2	380	150	92	55	2900
150CDL(F)150-60	380	150	130	75	2900